EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	220	715/509.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:00
L2	468	715/503.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:53
L3	119	715/504.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:01
L4	1755	((edit$5 modif$5) near5 table) with (insert$5 delet$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:14
L5	0	((insert$5 delet$5) near5 record) with table with (record near5 ("entire row" "range of columns" "column range"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:03
L7	0	4 with (record near5 ("column range" "range of column"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:05
L8	0	4 and (record near5 ("column range" "range of column"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:05
L9	3	((edit$5 modif$5) near5 table) with (insert$5 delet$5) with (subsequent near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:19

clh   10/773,619

L10	0	(shift$5 near5 portion) with (subsequent near5 table) with (align$5 near5 ("first portion" and "second portion") near5 (subsequent near5 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:22
L12	3	((edit$5 modif$5) near5 (table near5 rows)) with (subsequent near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:01
L13	16	((edit$5 modif$5) near5 (table near5 rows)) with ((subsequent following succeeding) near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:04
L14	4	((edit$5 modif$5) near5 (table near5 rows)) with (dynamic near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:08

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	0	(edit$5 and "dynamic table" and selectively and insert$5 and delet$5 and record and encompass$5 and "entire row" and array and determin$5 and "subsequent table" and array and includ$5 and unalter$5 and "first . portion" and "second portion" and shift$5 and within and array and shift$5 and "first portion" and "subsequent table" and align$5 and "first portion" and "second portion"). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:14

lh   10/773,619   Interference Search History